



Welcome United States Patent and Trademark Office

Advanced Search

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[Help](#)

<input type="text"/>	in	All Fields	
AND	<input type="text"/>	in	All Fields
AND	<input type="text"/>	in	All Fields

» Note: If you use all three search boxes, the entries in the first two boxes takes precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[Help](#)

<pre>((<stem>assign <or> <stem>allocat <or> <stem>reserv <or> <stem>schedul) <near/1> (resource <or> <stem>conferenc))</pre>	
--	--

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» **Publications**☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference
- ☒ IEE Conference P
- ☒ IEEE Standards

» **Other Resources** (Availat

- ☒ IEEE Books

» **Select date range**☐ Search latest content u

- ☒ From year to

» **Display Format**

- ☒ Citation ☐ Citatio

» **Organize results**

- Maximum
- Display res
- Sort by
- In

[Help](#) [Contact Us](#)

© Copyright 2005

Indexed by
Inspecc


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((((<stem>assign <or> <stem>allocat <or> <stem>reserv <or> <stem>schedul) <neq> <stem>)))"

☒ e-mail

Your search matched 15 of 1243738 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((((<stem>assign <or> <stem>allocat <or> <stem>reserv <or> <stem>schedul) <neq> <stem>)))

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ 1. **A new one-and-half layer channel routing algorithm based on assigning r CMOS gate array**
Bin Zhu; Xinya Wu; Wenjun Zhuang; Wai-Kai Chen;
Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction: Volume 12, Issue 2, Feb. 1993 Page(s):250 - 264
Digital Object Identifier 10.1109/43.205005
[AbstractPlus](#) | Full Text: [PDF](#)(1112 KB) IEEE JNL
- ☐ 2. **Multiresolution multiresource progressive image transmission**
Wen-Jyi Hwang; Derin, H.;
Image Processing, IEEE Transactions on Volume 4, Issue 8, Aug. 1995 Page(s):1128 - 1140
Digital Object Identifier 10.1109/83.403418
[AbstractPlus](#) | Full Text: [PDF](#)(1424 KB) IEEE JNL
- ☐ 3. **Oceano-SLA based management of a computing utility**
Appleby, K.; Fakhouri, S.; Fong, L.; Goldszmidt, G.; Kalantar, M.; Krishnakuma Pershing, J.; Rochwerger, B.;
Integrated Network Management Proceedings, 2001 IEEE/IFIP International S: 14-18 May 2001 Page(s):855 - 868
Digital Object Identifier 10.1109/INM.2001.918085
[AbstractPlus](#) | Full Text: [PDF](#)(164 KB) IEEE CNF
- ☐ 4. **Enhanced channel access techniques for wireless multimedia terminals**
Iera, A.; Modafferi, A.; Aiello, G.; Molinaro, A.; Marano, S.;
Vehicular Technology Conference, 2001. VTC 2001 Spring. IEEE VTS 53rd Volume 1, 6-9 May 2001 Page(s):561 - 565 vol.1
Digital Object Identifier 10.1109/VETECS.2001.944905
[AbstractPlus](#) | Full Text: [PDF](#)(380 KB) IEEE CNF
- ☐ 5. **Effects of limited bandwidth communications channels on the control of**
Rybski, P.E.; Stoeter, S.A.; Gini, M.; Hougen, D.F.; Papanikolopoulos, N.;
Intelligent Robots and Systems, 2001. Proceedings. 2001 IEEE/RSJ Internatio on
Volume 1, 29 Oct.-3 Nov. 2001 Page(s):369 - 374 vol.1
Digital Object Identifier 10.1109/IROS.2001.973385
[AbstractPlus](#) | Full Text: [PDF](#)(588 KB) IEEE CNF

- ☐ **6. Scheduling algorithm for UTRA TDD mode**
Ostermayer, G.; Slanina, P.; Holzl, C.; Mecklenbrauker, C.; Raji, F.; Stadler, T.
EUROCOMM 2000. Information Systems for Enhanced Public Safety and Security
IEEE/AFCEA
17 May 2000 Page(s):212 - 216
Digital Object Identifier 10.1109/EURCOM.2000.874803
[AbstractPlus](#) | Full Text: [PDF](#)(436 KB) IEEE CNF

- ☐ **7. On adaptive control techniques in real-time resource allocation**
Abeni, L.; Palopoli, L.; Buttazzo, G.;
Real-Time Systems, 2000. Euromicro RTS 2000. 12th Euromicro Conference on
19-21 June 2000 Page(s):129 - 136
Digital Object Identifier 10.1109/EMRTS.2000.854000
[AbstractPlus](#) | Full Text: [PDF](#)(368 KB) IEEE CNF

- ☐ **8. An adaptive resource allocation scheme of the forward channel in CDMA**
Sung-Hong Wie; Dong-Ho Cho;
Vehicular Technology Conference, 1999. VTC 1999 - Fall. IEEE VTS 50th
Volume 5, 19-22 Sept. 1999 Page(s):3014 - 3018 vol.5
Digital Object Identifier 10.1109/VETECF.1999.800340
[AbstractPlus](#) | Full Text: [PDF](#)(304 KB) IEEE CNF


- ☐ **9. BEEHIVE: an adaptive, distributed, embedded signal processing environment**
Famorzadeh, S.; Madiseti, V.; Egolf, T.; Nguyen, T.;
Acoustics, Speech, and Signal Processing, 1997. ICASSP-97., 1997 IEEE International
Conference on
Volume 1, 21-24 April 1997 Page(s):663 - 666 vol.1
Digital Object Identifier 10.1109/ICASSP.1997.599855
[AbstractPlus](#) | Full Text: [PDF](#)(404 KB) IEEE CNF

- ☐ **10. Distributed situation awareness for C2 platforms**
Mayk, I.; Salton, J.; Dawidowicz, E.; Wong, R.; Tran, L.; Chamberlain, S.; Brun
Systems, Man, and Cybernetics, 1997. 'Computational Cybernetics and Simulation'
International Conference on
Volume 5, 12-15 Oct. 1997 Page(s):4354 - 4359 vol.5
Digital Object Identifier 10.1109/ICSMC.1997.637499
[AbstractPlus](#) | Full Text: [PDF](#)(656 KB) IEEE CNF

- ☐ **11. HOLMES: a tool for monitoring heterogeneous architectures**
Corradi, A.; Stefanelli, C.;
High Performance Computing, 1997. Proceedings. Fourth International Conference
18-21 Dec. 1997 Page(s):486 - 491
Digital Object Identifier 10.1109/HIPC.1997.634534
[AbstractPlus](#) | Full Text: [PDF](#)(528 KB) IEEE CNF

- ☐ **12. Cost based allocation of resources in project planning**
Deckro, R.F.; Hebert, J.E.; Verdini, W.A.;
Technology Management : the New International Language, 1991
27-31 Oct. 1991 Page(s):278 - 283
Digital Object Identifier 10.1109/PICMET.1991.183633
[AbstractPlus](#) | Full Text: [PDF](#)(332 KB) IEEE CNF

- ☐ **13. Priority-based scheduling of scarce resources**
McDowell, M.E.;
Aerospace Applications Conference, 1991. Digest., 1991 IEEE
3-8 Feb. 1991 Page(s):1/1 - 1/8
Digital Object Identifier 10.1109/AERO.1991.154536
[AbstractPlus](#) | Full Text: [PDF](#)(548 KB) IEEE CNF

- ☐ **14. Computer-aided assembly process planning with resource assignment**
Akira, O.;
Robotics and Automation, 1993. Proceedings., 1993 IEEE International Conference
2-6 May 1993 Page(s):301 - 306 vol.2
Digital Object Identifier 10.1109/ROBOT.1993.292162
[AbstractPlus](#) | Full Text: [PDF](#)(300 KB) IEEE CNF
- ☐ **15. Resource allocation for wireless networks**
MacLellan, J.; Rose, C.;
Vehicular Technology Conference, 1994 IEEE 44th
8-10 June 1994 Page(s):804 - 808 vol.2
Digital Object Identifier 10.1109/VETEC.1994.345201
[AbstractPlus](#) | Full Text: [PDF](#)(340 KB) IEEE CNF
- 

indexed by
inspec

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE -

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((((multipoint <near/1> control)) <and> (pyr >= 1980 <and> pyr <= 2001)&l..."

e-mail

Your search matched 0 of 80 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

 ☐ Check to search only within this results set

» Key

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by
[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2005 IEEE --


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((((multipoint <near/1> control)) <and> (pyr >= 1980 <and> pyr <= 2001)&l..."

e-mail

Your search matched 10 of 80 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results set

» Key

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ 1. **Multipoint multimedia conferencing**
Clark, W.J.;
Communications Magazine, IEEE
Volume 30, Issue 5, May 1992 Page(s):44 - 50
Digital Object Identifier 10.1109/35.137478
[AbstractPlus](#) | Full Text: [PDF\(948 KB\)](#) IEEE JNL
- ☐ 2. **A coded-domain video combiner for multipoint continuous presence vide**
Ming-Ting Sun; Loui, A.C.; Ting-Chung Chen;
Circuits and Systems for Video Technology, IEEE Transactions on
Volume 7, Issue 6, Dec. 1997 Page(s):855 - 863
Digital Object Identifier 10.1109/76.644065
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(160 KB\)](#) IEEE JNL
- ☐ 3. **Virtual meetings with desktop conferencing**
Dutta-Roy, A.;
Spectrum, IEEE
Volume 35, Issue 7, July 1998 Page(s):47 - 56
Digital Object Identifier 10.1109/6.694355
[AbstractPlus](#) | Full Text: [PDF\(2740 KB\)](#) IEEE JNL
- ☐ 4. **A conferencing system for real-time, multiparty, multimedia services**
Park, J.S.; Lee, S.H.; Kim, S.C.; Lee, J.Y.; Lee, S.B.;
Consumer Electronics, IEEE Transactions on
Volume 44, Issue 3, Aug. 1998 Page(s):857 - 865
Digital Object Identifier 10.1109/30.713205
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(856 KB\)](#) IEEE JNL
- ☐ 5. **Dynamic bit allocation in video combining for multipoint conferencing**
Sun, M.-T.; Wu, T.-D.; Hwang, J.-N.;
Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transacti
Circuits and Systems II: Express Briefs, IEEE Transactions on]
Volume 45, Issue 5, May 1998 Page(s):644 - 648
Digital Object Identifier 10.1109/82.673649
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(136 KB\)](#) IEEE JNL
- ☐ 6. **Analysis of IP voice conferencing over EuroSkyWay satellite system**

Cruickshank, H.; Sun, Z.; Carducci, F.; Sanchez, A.;
Communications, IEE Proceedings-
Volume 148, Issue 4, Aug. 2001 Page(s):202 - 206
Digital Object Identifier 10.1049/ip-com:20010392

[AbstractPlus](#) | Full Text: [PDF](#)(568 KB) IEE JNL

☐ **7. Linear PCM signal processing for audio processing unit in multipoint vid system**

Kyeong-Yeol Yu; Jong-Hoon Park; Jong-Hyeong Lee;
Computers and Communications, 1998. ISCC '98. Proceedings. Third IEEE Sy
30 June-2 July 1998 Page(s):549 - 553
Digital Object Identifier 10.1109/ISCC.1998.702591

[AbstractPlus](#) | Full Text: [PDF](#)(36 KB) IEEE CNF

☐ **8. ATM RendezView: multipoint conferencing on ATM**

Smith, K.; Pretty, R.;
Multimedia Computing and Systems '97. Proceedings., IEEE International Con
3-6 June 1997 Page(s):534 - 540
Digital Object Identifier 10.1109/MMCS.1997.609766

[AbstractPlus](#) | Full Text: [PDF](#)(664 KB) IEEE CNF

☐ **9. A versatile audio bridge for multimedia conferencing**

Horn, D.N.; Sharma, A.;
Communications, 1994. ICC 94, SUPERCOMM/ICC '94, Conference Record, I
Through Communications. IEEE International Conference on
1-5 May 1994 Page(s):1754 - 1762 vol.3
Digital Object Identifier 10.1109/ICC.1994.368733

[AbstractPlus](#) | Full Text: [PDF](#)(684 KB) IEEE CNF

☐ **10. Audiovisual conferencing using the ISDN**

Clark, W.J.;
CSCW: Some Fundamental Issues, IEE Colloquium on
15 Mar 1991 Page(s):4/1 - 4/3

[AbstractPlus](#) | Full Text: [PDF](#)(144 KB) IEE CNF



Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2005 IEEE ...


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#)

Welcome United States Patent and Trademark Office

AbstractPlus

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)
[View Search Results](#) | [Previous Article](#) | [Next Article](#)


Access this document



Full Text: PDF (856 KB)

Download this citation

Choose


Citation

Download

EndNote, ProCite, RefMan

» [Learn More](#)

Rights & Permissions

» [Learn More](#)

A conferencing system for real-time, multiparty, multimedia

[Park, J.S.](#) [Lee, S.H.](#) [Kim, S.C.](#) [Lee, J.Y.](#) [Lee, S.B.](#)

Dept. of Electron. Eng., Yonsei Univ., Seoul, South Korea;

This paper appears in: **Consumer Electronics, IEEE Transactions on**

Publication Date: Aug. 1998

Volume: 44, Issue: 3

On page(s): 857 - 865

Meeting Date: 06/02/1998 - 06/04/1998

Location: Los Angeles, CA

ISSN: 0098-3063

CODEN: ITCEDA

INSPEC Accession Number: 6043935

Digital Object Identifier: 10.1109/30.713205

Posted online: 2002-08-06 21:55:34.0

Abstract

We describe a conferencing system designed to provide real-time, multiparty, fully interactive services in a LAN environment. The requirements of the multimedia conferencing service as follows. First, there are a number of participants, and the number of participants varies with service duration. So there must be a provision which allows members to join and leave a multimedia data has its own characteristics, and they have very close relationships with the quality of service (QoS) requirements of each media must be satisfied separately, and their relationship must first be maintained at playback time. For example, the audio and video must be synchronized at playback time. Considering the above requirements, we designed a multimedia conferencing system. It is mainly composed of two control entities: the group manager and the media manager. The group manager controls and maintains the participants group according to group attributes and performs call admission control according to its anticipation of network states and controls the media data sending rate based on the receivers' periodic media reception rate. For more efficient control, we take into consideration the group characteristics in the media data sending rate. Feasibility has been confirmed by laboratory trials.

Index Terms

Indexing Terms

Controlled Indexing

[computer network management](#) [interactive systems](#) [local area networks](#) [multimedia](#) [communication](#) [real-time systems](#) [telecommunication congestion control](#) [teleconferencing](#)

Non-controlled Indexing

[audio data](#) [call admission control](#) [call request time](#) [conferencing system](#) [conferencing system](#) [data sending rate](#) [fully interactive multimedia services](#) [group attributes](#) [group manager](#) [multimedia conferencing service](#) [playback](#) [quality of service](#) [multiparty multimedia services](#) [video data](#)

Author Keywords

Not Available

References

1. F. Fluckiger, *Understanding Networked Multimedia: Application and Technology*. Prentice Hall, 1997. [Buy Via Ask*IEEE]
2. M.A. Sasse, U. Bilting, C.D. Shulz, and T. Turletti, "Remote Seminars through Multimedia Conferencing," *IEEE Transactions on Multimedia*, vol. 1, no. 1, pp. 1-11, 1999.

- Conferencing: Experiences from the MICE projects," in *Proc. INET'94*, 1994, pp. 251-254.
[\[Buy Via Ask*IEEE\]](#)
- 3 P.T.Kirstein *et al.*, "Piloting of Multimedia Integrated Communications for European R&D," in *Proc. INET'93*, 1993.
[\[Buy Via Ask*IEEE\]](#)
 - 4 D.Hutchison, G.Coulson, A.Campbell, and B.Clair, "Quality of Services Management Systems," *Network and Distributed Systems Management*, M.Sloman, Ed. : Addison-Wesley, 1994.
[\[Buy Via Ask*IEEE\]](#)
 - 5 M.Handley, I.Wakeman, and J.Crocroft, in *The conference control protocol(CCCP) : a building conference control applications*: SIGCOMM, Sept. 1995, pp. 275-287.
[\[Buy Via Ask*IEEE\]](#)
 - 6 H.Schulzrinne *et al.*, *RTP: A Transport Protocol for Real-Time Applications*, IETF, RFC 1889, Jan. 1996.
[\[Buy Via Ask*IEEE\]](#)
 - 7 M.Handley, J.Crowcroft, and C.Bormann, "The Internet Multimedia Conferencing Architecture," *Draft, draft-ietf-confarch-00.txt*, July 1997.
 - 8 *Data Protocol for Multimedia Conferencing*, ITU-T Recommendation, T.120.
 - 9 *MCS Service Definition*, ITU-T Recommendation, T.122, 1993.
 - 10 *Audiovisual Protocol Stacks*, ITU-T Recommendation, T.123, 1994.
 - 11 *Generic Conference Control*, ITU-T Recommendation, T. 124, 1996.
 - 12 *MCS Protocol Specification*, ITU-T Recommendation, T.125, 1994.
 - 13 *Second Draft on Multi-peer Taxonomy*, ISO/IEC JTC1/SC6, 1994.
 - 14 C. H.West, "An Automated Technique of Communication Protocol Validation," *IEEE Transactions on Communication*, vol. COM-26, pp. 1271-1275, 1978.
[\[Buy Via Ask*IEEE\]](#)
 - 15 M.Schwartz, *Telecommunication Networks Protocols, Modeling and Analysis*: Addison-Wesley, 1994, pp. 453-467.
[\[Buy Via Ask*IEEE\]](#)
 - 16 MMCF Working Documents : Multimedia Communications Forum, Inc., Arch/QoS/94-1994.

Citing Documents

No citing documents available on IEEE Xplore.

[View Search Results](#) | [Previous Article](#) | [Next Article](#)Indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IEEE

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	224	multipoint adj3 conferenc\$3.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 12:41
L2	184	1 and (@AD<"20010319" or @RLAD<"20010319")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 12:42
L3	40	2 and (multipoint adj control adj unit or MCU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 12:42
L4	18	(allocat\$3 or reserv\$5 or assign\$4 or provision\$3) and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 12:42
L5	4	4 and (allocat\$3 or reserv\$5 or assign\$4 or provision\$3) near10 (initial or start\$3 or begin\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 12:42
L6	0	4 and QoS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 12:40
L7	2	3 and QoS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 12:40
L8	6532	(video or tele\$5 or multipoint) adj3 conferenc\$3.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 12:41
L9	4597	8 and (@AD<"20010319" or @RLAD<"20010319")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 12:42

L10	449	(allocat\$3 or reserv\$5 or assign\$4 or provision\$3).ab. and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 12:42
L11	18	10 and (multipoint adj control adj unit or MCU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 12:42
L12	2	11 and (allocat\$3 or reserv\$5 or assign\$4 or provision\$3) near10 (initial or start\$3 or begin\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 12:43